

This question involves the implementation of a fitness tracking system that is represented by the `StepTracker` class. A `StepTracker` object is created with a parameter that defines the minimum number of steps that must be taken for a day to be considered *active*.

The `StepTracker` class provides a constructor and the following methods.

- `addDailySteps`, which accumulates information about steps, in readings taken once per day
- `activeDays`, which returns the number of active days
- `averageSteps`, which returns the average number of steps per day, calculated by dividing the total number of steps taken by the number of days tracked

The following table contains a sample code execution sequence and the corresponding results.

Statements and Expressions	Value Returned (blank if no value)	Comment
<code>StepTracker tr = new StepTracker(10000);</code>		Days with at least 10,000 steps are considered active. Assume that the parameter is positive.
<code>tr.activeDays();</code>	0	No data have been recorded yet.
<code>tr.averageSteps();</code>	0.0	When no step data have been recorded, the <code>averageSteps</code> method returns 0.0.
<code>tr.addDailySteps(9000);</code>		This is too few steps for the day to be considered active.
<code>tr.addDailySteps(5000);</code>		This is too few steps for the day to be considered active.
<code>tr.activeDays();</code>	0	No day had at least 10,000 steps.
<code>tr.averageSteps();</code>	7000.0	The average number of steps per day is (14000 / 2).
<code>tr.addDailySteps(13000);</code>		This represents an active day.
<code>tr.activeDays();</code>	1	Of the three days for which step data were entered, one day had at least 10,000 steps.
<code>tr.averageSteps();</code>	9000.0	The average number of steps per day is (27000 / 3).
<code>tr.addDailySteps(23000);</code>		This represents an active day.
<code>tr.addDailySteps(1111);</code>		This is too few steps for the day to be considered active.
<code>tr.activeDays();</code>	2	Of the five days for which step data were entered, two days had at least 10,000 steps.
<code>tr.averageSteps();</code>	10222.2	The average number of steps per day is (51111 / 5).

Use the clues given in the above **Main** program to design the `StepTracker` class. Consider:

What are the properties? Think about the data that is being recorded as the program runs.

What does the Constructor method look like? And how about the three class methods that need to be designed? What is their behaviour? What properties are they affecting?

```
public class StepTracker{
```

OPTION D

OOP

Class Development